



A Discussion of Omnipolar versus bipolar mapping to guide ventricular tachycardia ablation

Hosted by Jason T. Jacobson, MD, FHRS

Article Information:

Article for Discussion: [Omnipolar versus bipolar mapping to guide ventricular tachycardia ablation](#)

Authors: [Ciro Ascione, MD, Christopher Kowalewski, MD, Marco Bergonti, MD, Masaaki Yokoyama, MD, Cinzia Monaco, MD, Benjamin Bouyer, MD, Rémi Chauvel, MD, Marine Arnaud, MD, Samuel Buliard, MD, Romain Tixier, MD, Konstantinos Vlachos, MD, Philipp Krisai, MD, Tsukasa Kamakura, MD, Takamitsu Takagi, MD, Josselin Duchateau, MD, PhD, Thomas Pambrun, MD, Nicolas Derval, MD, Méleze Hocini, MD, Michel Haïssaguerre, MD, Pierre Jaïs, MD, Frederic Sacher, MD, PhD](#)

Journal: Heart Rhythm Journal




Today's Host



Jason T. Jacobson, MD, FHRP
Westchester Medical Center-New York
Medical College



Today's Contributors:



**Isabel Deisenhofer,
MD, FHRP
German Heart Center Munich
Department of Electrophysiology**



**Jeffrey R. Winterfield, MD, FHRP
The Medical University
of South Carolina**



Disclosures:

Isabel Deisenhofer, MD, FHRS

- **Honoraria/Speaking/Consulting:** Abbott Medical, Biosense Webster, Volta Medical, Boston Scientific, Bristol-Myers Squibb
- **Research:** Abbott, Daiichi Sankyo

Jason T. Jacobson, MD, FHRS

- **Honoraria/Speaking/Consulting:** American College of Cardiology, Zoll Medical Corporation
- **Research:** Abbott, Phillips
- **Stock, Privately Held:** Atlas 5D

Jeffrey R. Winterfield, MD, FHRS

- **Honoraria/Speaking/Consulting:** Abbott, Biosense Webster, Inc.





Thank you!